

Welded Tubes according DIN 17457 / DIN 11850 / EN 10217-7 / DIN 2463 / ASTM A-312:

Grades:


AISI 304/L	(DIN 1.4301/7)
AISI 316/L	(DIN 1.4401/4)
AISI 321	(DIN 1.4541)
AISI 316Ti	(DIN 1.4571)
AISI 309	(DIN 1.4828)
AISI 310/S	(DIN 1.4841/5)
904L	(DIN 1.4539)

Surfaces:

Mill brushed
Satin (K240/K320)
Mirror (BA)

Length:

Approximate length 6 m.



Internal Dimensions x Thickness (mm)	Internal dimensions (mm)	INCH GAS SCH	Weight (kg/m)
6,00 x 0,60	4,80		0,081
6,00 x 1,00	4,00		0,125
8,00 x 0,50	7,00		0,094
8,00 x 1,00	6,00		0,175
8,00 x 1,50	5,00		0,244
10,00 x 0,40	9,20		0,096
10,00 x 0,50	9,00		0,119
10,00 x 0,60	8,80		0,141
10,00 x 1,00	8,00		0,225
10,00 x 1,50	7,00		0,319
10,20 x 2,00	6,20		0,411
12,00 x 0,40	11,20		0,116
12,00 x 0,50	11,00		0,144
12,00 x 0,60	10,80		0,171
12,00 x 1,00	10,00		0,275
12,00 x 1,50	9,00		0,394
12,00 x 2,00	8,00		0,501
13,00 x 1,50	10,00		0,432
13,50 x 0,40	12,70		0,131
13,50 x 1,60	10,30		0,477
13,50 x 2,30	8,90	1/4" GAS	0,645
13,72 x 1,65	10,42	1/4" SCH 10S	0,499
13,72 x 2,24	9,24	1/4" SCH 40S	0,644
14,00 x 0,40	13,20		0,136
14,00 x 1,00	12,00		0,326
14,00 x 1,50	11,00		0,470
14,00 x 2,00	10,00		0,601
15,00 x 0,50	14,00		0,182
15,00 x 0,60	13,80		0,216
15,00 x 1,00	13,00		0,351
15,00 x 1,50	12,00		0,507
15,00 x 2,00	11,00		0,651
16,00 x 0,50	15,00		0,194
16,00 x 1,00	14,00		0,376
16,00 x 1,20	13,60		0,445
16,00 x 1,50	13,00		0,545
16,00 x 2,00	12,00		0,701
17,15 x 1,65	13,85	3/8" SCH 10S	0,640
17,15 x 2,31	12,53	3/8" SCH 40S	0,858
17,20 x 1,50	14,20		0,590
17,20 x 1,60	14,00		0,625
17,20 x 2,00	13,20		0,761
17,20 x 2,30	12,60	3/8" GAS	0,858
18,00 x 0,50	17,00		0,219
18,00 x 0,70	16,60		0,303
18,00 x 1,00	16,00		0,426
18,00 x 1,50	15,00		0,620
18,00 x 2,00	14,00		0,801
19,00 x 1,50	16,00		0,657
19,05 x 1,65	15,75	3/4" x 0,065"	0,719
19,05 x 2,11	14,83	3/4" x 0,080"	0,895
20,00 x 0,50	19,00		0,244
20,00 x 1,00	18,00		0,476
20,00 x 1,50	17,00		0,695
20,00 x 2,00	16,00		0,901
21,30 x 1,20	18,90		0,604
21,30 x 1,50	18,30		0,744
21,30 x 1,60	18,10		0,789
21,30 x 2,00	17,30		0,967
21,30 x 2,50	17,30		1,177

Internal Dimensions x Thickness (mm)	Internal dimensions (mm)	INCH GAS SCH	Weight (kg/m)
21,30 x 2,65	16,00	1/2" GAS	1,238
21,34 x 1,65	18,04	1/2" SCH 5S	0,814
21,34 x 2,11	17,12	1/2" SCH 10S	1,016
21,34 x 2,77	15,80	1/2" SCH 40S	1,288
22,00 x 0,50	21,00		0,269
22,00 x 0,70	20,60		0,373
22,00 x 1,00	20,00		0,526
22,00 x 1,20	19,60		0,625
22,00 x 1,50	19,00		0,770
22,00 x 2,00	18,00		1,002
23,00 x 1,50	20,00		0,808
25,00 x 0,50	24,00		0,307
25,00 x 1,00	23,00		0,601
25,00 x 1,50	22,00		0,883
25,00 x 2,00	21,00		1,152
25,00 x 2,50	20,00		1,409
25,40 x 1,25	22,90		0,756
25,40 x 1,65	22,10	1" x 0,065"	0,981
25,40 x 2,11	21,28	1" x 0,080"	1,183
26,67 x 1,65	23,37	3/4" SCH 5S	1,034
26,67 x 2,11	22,45	3/4" SCH 10S	1,298
26,67 x 2,87	20,93	3/4" SCH 40S	1,710
26,90 x 1,20	24,50		0,772
26,90 x 1,50	23,90		0,954
26,90 x 1,60	23,70		1,014
26,90 x 2,00	22,90		1,247
26,90 x 2,50	21,90		1,527
26,90 x 2,65	21,60	3/4" GAS	1,609
28,00 x 0,80	26,40		0,545
28,00 x 1,00	26,00		0,676
28,00 x 1,20	25,60		0,805
28,00 x 1,50	25,00		0,995
28,00 x 2,00	24,00		1,302
29,00 x 1,50	26,00		1,005
30,00 x 0,60	28,80		0,442
30,00 x 1,00	28,00		0,726
30,00 x 1,50	27,00		1,070
30,00 x 2,00	26,00		1,402
30,00 x 2,50	25,00		1,722
31,80 x 1,25	29,30		0,956
32,00 x 1,50	29,00		1,146
32,00 x 2,00	28,00		1,502
33,00 x 1,50	30,00		1,183
33,40 x 1,65	30,10	1" SCH 5S	1,312
33,40 x 2,77	27,86	1" SCH 10S	2,125
33,40 x 3,38	26,64	1" SCH 40S	2,541
33,70 x 1,20	31,30		0,977
33,70 x 1,50	30,70		1,209
33,70 x 1,60	30,50		1,286
33,70 x 2,00	29,70		1,588
33,70 x 2,50	28,70		1,953
33,70 x 2,60	28,50		2,025
33,70 x 3,00	27,70		2,306
33,70 x 3,25	27,20	1" GAS	2,478
34,00 x 1,00	32,00		0,826
34,00 x 1,50	31,00		1,221
35,00 x 1,00	33,00		0,851
35,00 x 1,50	32,00		1,258
35,00 x 2,00	31,00		1,653
38,00 x 1,00	36,00		0,926

Welded Tubes according DIN 17457 / DIN 11850 / EN 10217-7 / DIN 2463 / ASTM A-312:

Grades:


AISI 304/L	(DIN 1.4301/7)
AISI 316/L	(DIN 1.4401/4)
AISI 321	(DIN 1.4541)
AISI 316Ti	(DIN 1.4571)
AISI 309	(DIN 1.4828)
AISI 310/S	(DIN 1.4841/5)
904L	(DIN 1.4539)

Surfaces:

Mill brushed
Satin (K240/K320)
Mirror (BA)

Length:

Approximate length 6 m.



Internal Dimensions x Thickness (mm)	Internal dimensions (mm)	INCH GAS SCH	Weight (kg/m)
38,00 x 1,50	35,00		1,371
38,00 x 2,00	34,00		1,803
38,00 x 2,50	33,00		2,222
38,00 x 2,60	32,80		2,305
38,00 x 3,00	32,00		2,629
38,10 x 1,20	35,70		1,109
38,10 x 1,50	35,10		1,375
40,00 x 1,00	38,00		0,977
40,00 x 1,50	37,00		1,446
40,00 x 2,00	36,00		1,903
40,00 x 3,00	34,00		2,779
41,00 x 1,50	38,00		1,490
42,00 x 1,20	39,60		1,226
42,00 x 1,50	39,00		1,521
42,16 x 1,65	38,86	1 1/4" SCH 5S	1,674
42,16 x 2,77	36,62	1 1/4" SCH 10S	2,732
42,16 x 3,56	35,04	1 1/4" SCH 40S	3,441
42,40 x 1,20	40,00		1,238
42,40 x 1,50	39,40		1,536
42,40 x 1,60	39,20		1,635
42,40 x 2,00	38,40		2,023
42,40 x 2,50	37,40		2,498
42,40 x 2,60	37,20		2,591
42,40 x 3,00	36,40		2,960
42,40 x 3,25	35,90		3,186
43,00 x 1,50	40,00		1,559
44,50 x 2,00	40,50		2,128
45,00 x 1,50	42,00		1,634
45,00 x 2,00	41,00		2,153
48,26 x 1,65	44,96	1 1/2" SCH 5S	1,926
48,26 x 2,77	42,72	1 1/2" SCH 10S	3,155
48,26 x 3,68	40,90	1 1/2" SCH 40S	4,108
48,30 x 1,20	45,90		1,415
48,30 x 1,50	45,30		1,758
48,30 x 1,60	45,10		1,871
48,30 x 2,00	44,30		2,319
48,30 x 2,50	43,30		2,867
48,30 x 2,60	43,10		2,975
48,30 x 3,00	42,30		3,403
48,30 x 3,25	41,80	1/2" GAS	3,666
50,00 x 1,00	48,00		1,227
50,00 x 1,50	47,00		1,822
50,00 x 2,00	46,00		2,404
50,80 x 1,50	47,80		1,852
50,80 x 2,00	46,80		2,444
50,80 x 2,50	45,80		3,024
50,80 x 2,60	45,60		3,138
50,80 x 3,00	44,80		3,591
52,00 x 1,00	50,00		1,277
52,00 x 1,50	49,00		1,897
53,00 x 1,50	50,00		1,934
54,00 x 1,20	51,60		1,587
54,00 x 1,50	51,00		1,972
54,00 x 2,00	50,00		2,604
57,00 x 2,00	53,00		2,754
57,00 x 3,00	51,00		4,056
60,30 x 1,20	57,90		1,776
60,30 x 1,50	57,30		2,209
60,30 x 1,60	57,10		2,352
60,30 x 2,00	56,30		2,920

Internal Dimensions x Thickness (mm)	Internal dimensions (mm)	INCH GAS SCH	Weight (kg/m)
60,30 x 2,50	55,30		3,618
60,30 x 2,60	55,10		3,757
60,30 x 2,90	54,50		4,168
60,30 x 3,00	54,30		4,304
60,30 x 3,65	53,00	2" GAS	5,178
60,33 x 1,65	57,03	2" SCH 5S	2,424
60,33 x 2,77	54,79	2" SCH 10S	3,992
60,33 x 3,91	52,51	2" SCH 40S	5,524
63,50 x 1,50	60,50		2,329
63,50 x 2,00	59,50		3,080
63,50 x 2,60	58,30		3,965
70,00 x 1,50	67,00		2,573
70,00 x 2,00	66,00		3,405
70,00 x 3,00	64,00		5,033
73,03 x 2,11	68,81	2 1/2" SCH 5S	3,747
73,03 x 3,05	66,93	2 1/2" SCH 10S	5,345
73,03 x 5,16	62,71	2 1/2" SCH 40S	8,769
76,10 x 1,50	73,10		2,802
76,10 x 1,60	72,90		2,985
76,10 x 2,00	72,10		3,711
76,10 x 2,60	70,90		4,785
76,10 x 3,00	70,10		5,491
76,10 x 3,60	68,90	2 1/2" GAS	6,535
80,00 x 1,50	77,00		2,948
80,00 x 2,00	76,00		3,906
80,00 x 3,00	74,00		5,784
83,00 x 1,50	80,00		3,061
84,00 x 2,00	80,00		4,107
85,00 x 2,00	81,00		4,157
88,90 x 1,50	85,90		3,283
88,90 x 1,60	85,70		3,498
88,90 x 2,00	84,90		4,352
88,90 x 2,60	83,70		5,618
88,90 x 3,00	82,90		6,453
88,90 x 3,60	81,70		7,689
88,90 x 4,05	80,80	3" GAS	8,605
88,90 x 2,11	84,68	3" SCH 5S	4,585
88,90 x 3,05	82,80	3" SCH 10S	6,557
88,90 x 5,49	77,92	3" SCH 40S	11,466
101,60 x 1,50	98,60		3,760
101,60 x 2,00	97,60		4,988
101,60 x 3,00	95,60		7,407
101,60 x 4,00	93,60		9,776
101,60 x 2,11	97,38	3 1/2" SCH 5S	5,256
101,60 x 3,05	95,50	3 1/2" SCH 10S	7,526
101,60 x 5,74	90,12	3 1/2" SCH 40S	13,778
103,00 x 1,50	100,00		3,812
104,00 x 2,00	100,00		5,108
106,00 x 3,00	100,00		7,737
108,00 x 2,00	104,00		5,308
108,00 x 3,00	102,00		7,888
108,00 x 4,00	100,00		10,417
114,30 x 1,50	111,30		5,308
114,30 x 1,60	111,10		7,888
114,30 x 2,00	110,30		5,624
114,30 x 2,60	109,10		7,272
114,30 x 3,00	108,30		8,361
114,30 x 3,60	107,10		9,979
114,30 x 4,00	106,30		11,048
114,30 x 2,11	110,08	4" SCH 5S	5,927

Welded Tubes according DIN 17457 / DIN 11850 / EN 10217-7 / DIN 2463 / ASTM A-312:

Grades:


AISI 304/L	(DIN 1.4301/7)
AISI 316/L	(DIN 1.4401/4)
AISI 321	(DIN 1.4541)
AISI 316Ti	(DIN 1.4571)
AISI 309	(DIN 1.4828)
AISI 310/S	(DIN 1.4841/5)
904L	(DIN 1.4539)

Surfaces:

Mill brushed
Satin (K240/K320)
Mirror (BA)

Length:

Approximate length 6 m.



Internal Dimensions x Thickness (mm)	Internal dimensions (mm)	INCH GAS SCH	Weight (kg/m)
114,30 x 3,05	108,20	4" SCH 10S	8,496
114,30 x 6,02	102,26	4" SCH 40S	16,322
129,00 x 2,00	125,00		6,360
131,00 x 3,00	125,00		9,615
133,00 x 2,00	129,00		6,560
133,00 x 3,00	127,00		9,766
133,00 x 4,00	125,00		12,921
139,70 x 2,00	135,70		6,896
139,70 x 2,60	134,50		8,926
139,70 x 3,00	133,70		10,269
139,70 x 4,00	131,70		13,592
141,30 x 2,77	135,76	5" SCH 5S	9,609
141,30 x 3,40	134,50	5" SCH 10S	11,740
141,30 x 6,55	128,20	5" SCH 40S	22,101
153,00 x 1,50	150,00		5,690
154,00 x 2,00	150,00		7,612
156,00 x 3,00	150,00		11,493
159,00 x 2,00	155,00		7,863
159,00 x 3,00	153,00		11,719
159,00 x 4,00	151,00		15,525
168,28 x 2,77	162,74	6" SCH 5S	11,480
168,28 x 3,40	161,48	6" SCH 10S	14,037
168,28 x 7,11	154,06	6" SCH 40S	28,694
168,30 x 2,00	164,30		8,328
168,30 x 2,60	163,10		10,788
168,30 x 3,00	162,30		12,417
168,30 x 4,00	160,30		16,456
204,00 x 2,00	200,00		10,116
206,00 x 3,00	200,00		15,249
208,00 x 4,00	200,00		20,433
219,08 x 2,77	213,54	8" SCH 5S	15,003
219,08 x 3,76	211,56	8" SCH 10S	20,272
219,08 x 6,35	206,38	8" SCH 20	33,825
219,08 x 8,18	202,72	8" SCH 40S	43,198
219,08 x 12,7	193,68	8" SCH 80S	65,630
219,10 x 2,00	215,10		10,872
219,10 x 2,60	213,90		14,095
219,10 x 3,00	213,10		16,233
219,10 x 4,00	211,10		21,544
254,00 x 2,00	250,00		12,620
256,00 x 3,00	250,00		19,005
273,00 x 2,00	269,00		13,572
273,00 x 2,60	267,80		17,604
273,00 x 3,00	297,00		20,282
273,00 x 4,00	265,00		26,943
273,05 x 3,40	266,25	10" SCH 5S	22,957
273,05 x 4,19	264,67	10" SCH 10S	28,208
273,05 x 6,35	260,35	10" SCH 20	42,406
273,05 x 9,27	254,51	10" SCH 40S	61,229
273,05 x 12,7	247,65	10" SCH 80S	82,793
304,00 x 2,00	300,00		15,124
306,00 x 3,00	300,00		22,761
323,85 x 3,96	315,93	12" SCH 5S	31,720
323,85 x 4,57	314,71	12" SCH 10S	36,536
323,85 x 6,35	311,15	12" SCH 20	50,484
323,85 x 9,53	304,79	12" SCH 40S	75,007
323,85 x 12,7	298,45	12" SCH 80S	98,948
323,90 x 2,00	319,90		16,121
323,90 x 3,00	317,90		24,106
323,90 x 4,00	315,90		32,041

Internal Dimensions x Thickness (mm)	Internal dimensions (mm)	INCH GAS SCH	Weight (kg/m)
355,60 x 3,00	349,60		26,487
355,60 x 4,00	347,60		35,216
355,60 x 3,96	347,68	14" SCH 5S	34,868
355,60 x 4,78	346,04	14" SCH 10S	41,990
355,60 x 6,35	342,90	14" SCH 10	55,532
355,60 x 9,53	336,54	14" SCH 40S	82,583
406,40 x 3,00	400,40		30,303
406,40 x 4,00	398,40		40,304
406,40 x 4,19	398,02	16" SCH 5S	42,199
406,40 x 4,78	396,84	16" SCH 10S	48,070
406,40 x 6,35	393,70	16" SCH 10	63,610
406,40 x 9,53	387,34	16" SCH 40S	94,706
457,20 x 3,00	451,20		34,120
457,20 x 4,00	449,20		45,393
457,20 x 5,00	447,20		56,615
457,20 x 4,19	448,82	18" SCH 5S	47,529
457,20 x 4,78	447,64	18" SCH 10S	54,151
457,20 x 6,35	444,50	18" SCH 10	71,687
457,20 x 9,53	438,14	18" SCH 40S	106,828
508,00 x 3,00	502,00		37,936
508,00 x 4,00	500,00		50,481
508,00 x 5,60	496,80		70,449
508,00 x 4,78	498,44	20" SCH 5S	60,231
508,00 x 5,56	496,88	20" SCH 10S	69,951
508,00 x 6,35	495,30	20" SCH 10	79,764
508,00 x 9,53	488,94	20" SCH 40S	118,950
558,80 x 4,78	549,24	22" SCH 5S	66,311
558,80 x 5,56	547,68	22" SCH 10S	77,023
558,80 x 9,53	539,74	22" SCH 40S	131,073
609,60 x 3,00	603,60		45,568
609,60 x 4,00	601,60		60,657
609,60 x 5,56	598,48	24" SCH 5S	84,096
609,60 x 6,35	596,90	24" SCH 10S	95,919
609,60 x 9,53	590,54	24" SCH 40S	143,195
711,20 x 4,00	703,20	28" x 0,157"	70,833
711,20 x 6,35	698,50	28" x 0,250"	112,074
711,20 x 7,10	697,00		125,178
812,80 x 4,00	804,80	32" x 0,157"	81,009
812,80 x 6,35	800,10	32" x 0,250"	128,229
914,40 x 4,00	906,40	36" x 0,157"	91,186
914,40 x 6,35	901,70	36" x 0,250"	144,384